DONJOY Innovative Design
Patent Protection

粉体专用蝶阀
Powder butterfly valve

手动粉体蝶阀
Manual powder butterfly valve

气动粉体蝶阀
Pneumatic powder butterfly valve

▲Size: DN80–DN300, 3"–12"
▲Material: 304/316L, 1.4301/1.4404/ASME BPE 316L/1.435/NB2 Fe≤0.5%
▲粉体专用蝶阀，其优势在于超小扭矩、超出寿命、易拆卸、易清洗、无需专业工具。
Powder butterfly valve, the advantage is ultra small torque, ultra long service life, easy to disassembley & clean wihtout any special tool

三通蝶阀
3-way butterfly valve

流量微调式蝶阀
Fine-flow adjustable butterfly valve

多位手动蝶阀
Multi-position manual butterfly valve

杠杆手动蝶阀
Pull-handle manual butterfly valve

卧式气动蝶阀
Horizontal pneumatic butterfly valve

电动蝶阀
Electric butterfly valve

调节式气动蝶阀
Adjustable pneumatic butterfly valve

气动蝶阀
Pneumatic butterfly valve

气动蝶阀+控制单元
Pneumatic butterfly valve+control unit

调节式气动蝶阀
Adjustable pneumatic butterfly valve

0.6 Ball valve

DONJOY Ball Valve

- ▲Manual ball valve, Pneumatic ball valve, Electronic ball valve, Direct ball valve, Three way ball valve, Four way ball valve and tank bottom ball valve
- ▲Size: 1/2"–4", DN10–DN100
- ▲Material: 304(1.4301) 316L(1.4404)
- ▲Tempreture: –30 degrees to 180 degree
- ▲Pressure: 10 bar
- ▲Connection: Clamp, thread, weld, flange etc

蝶式球阀系列 Butterfly style ball valve

三片式球阀 3pcs ball valve

三通球阀 3-way ball valve

三通无滞留球阀 3-way non-retention ball valve

注意：如需详细资料和图纸等技术参数，请联系我们！或请登录：WWW.CNDONJOY.COM 下载

Note: if need more detailed technical parameters and relevant drawings, please contact with DONJOY, or download on our websit: www.cndonjoy.com.

迷你直通球阀
MINI direct ball valve

迷你三通球阀
MINI 3-way
pneumatic ball valve

迷你手动三通球阀
MINI 3-way
munual ball valve

DONJOY
Innovative Design
Patent Protection

易拆式直通球阀 Easy-detachable direct ball valve

直筒式球阀 Tube style ball valve

无滞留球阀 Non-retention ball valve

07 Mixing proof valve +Tank bottom valve

防混阀阀阵系统
Mixing proof valve manifold

高品质、高清净、智能型
3A、FDA、CE认证，符合EHEDG要求
创新设计密封结构能有效或减少消除残夜在阀座上的滞留
显著提高了CIP和SIP清洗和消毒的效果

规格Size：DN25-DN100
材质Material：1.4435, 1.4404
▲支持AS-I BUS通讯 ▲支持手动按钮功能
▲自适应阀位反馈输出 ▲支持4-20mA输出

High quality, high clean, intelligent
3A,CE , FDA certificate , could meet EHHEDG requirement
Innovative design seal structure can effectively or reduce the elimination of residue in the valve seat on the retention, significantly improved CIP and SIP cleaning and disinfection effect

▲Support AS-1 BUS, ▲Support manual bottom function
▲Adaptive valve position feedback output, ▲Support the output 4-20m

DONJOY Innovative Design
Patent Protection

注意：如需详细资料和图纸等技术参数，请联系我们！或请登录：WWW.CNDONJOY.COM 下载
Note: if need more detailed technical parameters and relevant drawings, please contact with DONJOY, or download on our websit: www.cndonjoy.com.



防混双座阀
Mixproof double seat valve



防混罐底阀
Mixing proof tank bottom valve

防混阀
Mixing proof valve

0.8 Divert seat valve +Tank bottom valve

DONJOY Innovative Design
Patent Protection

非常灵活的各种阀体组合 Various flexible combination of valve body



内开式罐底阀
Innernal open type tank bottom valve

颗粒通过能力
Particle passing capacity



DN40-1.5"=23MM
DN50-12"=31MM
2.5"=42MM
DN65=46MM
3"=56MM
DN80=63MM
DN100-4"=82MM

注意：如需详细资料和图纸等技术参数，请联系我们！或请登录：WWW.CNDONJOY.COM 下载
Note: if need more detailed technical parameters and relevant drawings, please contact with DONJOY, or download on our websit: www.cndonjoy.com.

手动截止换向阀
Manual type divert seat valve

气动截止换向阀
Pneumatic type divert seat valve

迷你型换向阀
Mini type divert seat valve

气动换向阀
Pneumatic type divert seat valve

薄膜气动换向阀
Didphragm type pneumatic divert seat valve

手动和气动一体换向阀
Pneumatic and manual integrated valve

内开式罐底阀(阀芯收缩)
Innernal open type tank bottom valve (valve Spool shrinkage)

弯头外开式罐底阀(阀芯伸展式)
Elbow type outside open tank bottom valve (valve spool stretch)

弯头外开式罐底阀(阀芯伸展式)
Elbow type outside open tank bottom valve (valve spool stretch)

0.9 Angle seat valve +Globe valve

DONJOY Angle Seat Valve

- ▲As a regulating valve, Manual, Pneumatic, Electronic has excellent flow control
- ▲Size: 1/2"–4", DN10–DN100
- ▲Material: 304(1.4301) 316L(1.4404)
- ▲Tempreture: –30 degree to 180 degree
- ▲Pressure: 10 bar
- ▲Connection: Clamp, thread, weld, flange etc

DONJOY Innovative Design
Patent Protection

电动角座阀(电动角座调节阀)
Electric angle seat valve
(electric angle seat regulating valve)

角座阀+控制单元
Angle seat valve
+ control unit

角座阀+位置反馈器
Angle seat valve
+ position feedback unit

气动角座阀
Pneumatic angle
seat valve

手动角座阀
Manual angle seat valve

调节式角座阀
Regulating angle seat valve

注意：如需详细资料和图纸等技术参数，请联系我们！或请登录：WWW.CNDONJOY.COM 下载
Note: if need more detailed technical parameters and relevant drawings, please contact with DONJOY, or download on our websit: www.cndonjoy.com.

DONJOY Globe Valve

▲As regulating valve, manual, pneumatic, electric operation could be with excellent flow control.
▲Size: 1/2"~4", DN10–DN100
▲Material: 304(1.4301) 316L(1.4404)
▲Temperature: –30 degree to 180 degree
▲Pressure: 10 bar
▲Connection: Clamp, thread, weld, flange etc

三通截止阀
3 way globe valve

三通截止阀+位置反馈器
3 way globe valve
+ position feedback unit

三通截止调节阀
3 way globe regulating valve

调节式截止阀
Regulating globe valve

手动截止阀
Manual globe valve

气动截止阀
Pneumatic globe valve

截止阀+控制单元
Globe valve
+ control unit

调节截止阀
Regulating
globe valve

电动调节截止阀(电动截止阀)
Electric regulating globe valve
(electric globe valve)

东正创新设计 专利保护

0.10 Constant pressure valve +safety valve+air release valve

DONJOY Innovative Design
Patent Protection

▲Constant pressure valve as a regulating valve which keepe the stability of pipe has two dwsigns: 1) Maintain constant pressure at the inlet, 2) Maintain constant pressure at outlet.
▲Size: 1"-3", DN25-DN80
▲Material: 304(1.4301) 316L(1.4404)
▲Tempreture: -30 degree to 130 degree
▲Pressure: 10 bar
▲Connection: Clamp, thread, weld, flange etc

MINI 恒压阀
MINI Constant pressure valve

注意：如需详细资料和图纸等技术参数，请联系我们！或请登录：WWW.CNDONJOY.COM 下载
Note: if need more detailed technical parameters and relevant drawings, please contact with DONJOY, or download on our websit: www.cndonjoy.com

杠杆式排气阀&杠杆式防止真空阀
Lever type air release valve & lever type anti-vacuum valve

▲Size: DN25-DN200, 1"-8"
▲Material: 304/316L/1.4301/1.4404
▲排气压力 Release pressure: 最大Max.10bar
▲防止真空压力 Anti-vacuum pressure: 最大Max. 0.9bar

安全阀 Safety valve

▲Specification: 1/2"-4", DN10-DN100
▲Material: 304, 316L, 1.4301, 1.4404
▲Set Pressure: 1bar- 10 bar
▲Certificate: 3A-64-00-N.O.: 1784
TSX 71003820140006(option)
Manufacture license of special equipment

视窗安全阀
Visible safety valve

MINI安全阀
Mini style safety valve

安全溢流阀
Safety overflow valve

安全阀
Safety valve

SIZE: 1"-4", DN25-DN100
排气&防止真空阀(多功能)
Air release & anti-vacuum valve (multi-function)

SIZE: 1"-2", DN25-DN50
浮球排气阀
Floating ball air release valve

SIZE: 1"-4", DN25-DN100
减压阀
Pressure reducing valve

Check valve
+Sampling valves

- ▲Size : 1/2" –4" DN10–DN100
- ▲Material : SS304/SS316L
- ▲Pressure : 10 bar
- ▲Opening pressure : 0.02 bar
- ▲Negative pressure : –0.9 bar
- ▲Temperature: –30 C to 130C (150C)
- ▲valve body structure: thread type , clamp type ,flanged type
- ▲connect: weld, clamp, thread, flanged ,etc.

donjoy checked all the technology updates in 2015 , after upgraded , dead of check valve become less. flow resistance is smaller, all–valve seal PTFE, meet the automatic welding technology ,accord with ASME BPE, 3–A–6800 , EHEDG high clean technical requirements.

2009款止回阀 Check valve

大规格止回阀Larged sized check valve: DN-125-5", DN250-10"

注意：如需详细资料和图纸等技术参数，请联系我们！或请登录：WWW.CNDONJOY.COM 下载
Note: if need more detailed technical parameters and relevant drawings, please contact with DONJOY, or download on our websit: www.cndonjoy.com

DONJOY Innovative Design
Patent Protection

无菌取样阀系列
Aseptic sampling valve series

取样口快速连接阀, 无菌取样阀
Sample mouth quick connection valve.
Aseptic sampling valve

可拆式螺母, 无菌取样阀
Detachable nut, Aseptic sampling valve

嵌入式卡箍取样阀
Flushbonading sampling valve

自动复位取样阀
Automatic return type
sampling valve

气动取样阀
Pneumatic
sampling valve

杠杆钥匙取样阀
Turing lock handle type
sampling valve

单出口取样阀
Single outlet
sampling valve

管道式取样阀
Pipe type
sampling valve

直通取样阀
Straight sampling valve

取样阀
Sampling valve

液位阀(液位计阀)
Level gauge valve

Clean technology+Sight glass +Lighting technology



DONJOY Cleaning Technology

▲Various cleaning technology designs. Fixed cleaning ball, rotary cleaning ball, efficient cleaning machine all have funtion of self lubrication and self cleaning:

▲Fixed cleaning ball: 180 degree, 360 degree cleaning.
Size: weld, bolted, clamp, thread, 1/2"–2.5"

▲Rotary cleaning ball: 180 degree, 360 degree cleaning.
Size: weld, bolted, clamp, thread, 1/2"–2.5"

▲Efficient cleaning machine: 360 degree cover with efficient cleaning and low fluid loss is suitable for big tank equipment and pressure container, especially for the stubborn medium. Size: max diameter 14m, Connection: bolted, clamp 1"&1.5", DN25–DN40

注意：如需详细资料和图纸等技术参数，请联系我们！或请登录：WWW.CNDONJOY.COM 下载
Note: if need more detailed technical parameters and relevant drawings, please contact with DONJOY, or download on our websit: www.cndonjoy.com

DONJOY Innovative Design
Patent Protection

直通视镜 Direct sight glass

DONJOY Sight glass and lighting technology

▲Lighting technology: wire power supply DC24V AC110V 220V
Lithium batteries: charge once for 2-3 month(according to operating frequency) white cold light, water proof, explosion proof, stainless steel cover
▲Sight glass: temperature: -20 degree to 130 degree. Pressure: 10 bar, Size: DN25-DN100, 1"-8"
▲Structure: flange type, union type, clamp type, four-way type, tubular type
▲Function: all sight glass can be equipped with light, dust scraper, protective cover

LED灯-照明
LEDlight- Illumination

防爆LED灯照明
Anti-explosion LED light-Illumination

法兰卡箍式视镜
Flanged clamp sight glass

四通视镜
Four way sight glass

法兰视镜/法兰视镜+灯
Flanged sight glass/
Flanged sight glass+Light

由任视镜/视镜+灯+刮尘
Union sight glass/sight glass
+Light+Wiper

卡箍由任视镜
Clamp union sight glass

0.13 Filter+Man hole

DONJOY Filter Technology

- ▲Micro-filter: one core, 3 cores, seven cores, 5"-10".....40", filter fineness 0.1 μ m.....10 μ m
- ▲Pipe filters: Y type, L type, Straight type, stainless steel filter screen
- ▲Size: 1-4, DN25-DN100
- ▲Connection: weld, thread, clamp, flange
- ▲Material: 304/316L

可拆清扫式地漏
Available with removing and cleaning fllor drainer

呼吸器
Rebreather

过滤器+冷凝水
Filter+condensation water

双联过滤器
Duplex filter

微孔过滤器
Micro-filter

内开椭圆锥体人孔
Inner-opening type elliptical centrum manhole cover

外开椭圆人孔
Outer-opening type elliptical manhole

椭圆人孔
Elliptical manhole

全视镜人孔
Glass manhole cover

非压圆形人孔
Non pressure round manhole

压力圆形人孔
Pressure round manhole

方形人孔
Square manhole cover

注意：如需详细资料和图纸等技术参数，请联系我们！或请登录：WWW.CNDONJOY.COM 下载
Note: if need more detailed technical parameters and relevant drawings, please contact with DONJOY, or download on our websit: www.cndonjoy.com

1 微孔过滤器 Micro-filter
2 角式管道过滤器 Angle pipe filter
3 直通管道过滤器 Straight pipe filter
4 Y型管道过滤器 Y type pipe filter
5 直通管道过滤器 Straight pipe filter

DONJOY Innovative Design
Patent Protection

东正创新设计 专利保护

0.14 Sanitary fittings

- ▲Product series: apetic flange, clampe, ferrule, elbow, tee, reducer, other fittings and pipe
- ▲Standard: DIN SMS IDF ISO Bs4825 RJT DS ASME BPE I-LINE
- ▲Connection: weld, thread, clamp, flange etc
- ▲Material: 304, 304L, 316L, 1.4301, 1.4404, 1.4435, NB2 Fe < 0.5%
- ▲Size: 1/2"-12", DN10-DN300, OD Φ 12.7- Φ304
- ▲Certificates: 3-A-06-23 conform to EHEDG
- ▲Seal: FDA177.2600, FDA177.1550
- ▲Inner surface: Ra0.4 μ m

卡压式软管接头
Jam-on hose coupling

无菌系列由任
Aseptic series union

ILINE系列
ILINE series

注意：如需详细资料和图纸等技术参数，请联系我们！或请登录：WWW.CNDONJOY.COM 下载
Note: if need more detailed technical parameters and relevant drawings, please contact with DONJOY, or download on our websit: www.cndonjoy.com

DONJOY Innovative Design
Patent Protection

卡箍由任 Clamp union

软管接头 Hose coupling

卡箍/螺纹/对焊/接头 Clamp/thread/weld coupling

螺纹由任 Thread union

管支架 Pipe holder

卡箍系列 Clamp series

工业法兰 Industrial flange

工业管件 Industrial pipe fitting

DONJOY TECHNOLOGY CO., LTD.

www.cndonjoy.com
Export Line: +86-577-86990966
E-mail: donjoy@cndonjoy.com zjdonjoy@cndonjoy.com
销售热线: 0577-86991966

DONJOY looking forward to your visit!
Your telecommunications!

法律声明:
目录样册版本属东正所有，
如有抄袭东正将追究其法律责任和经济赔偿。
东正众多技术设计，都具有专利保护，
如有抄袭，东正必将追究法律责任和经济赔偿。

Legal Statement:
Catalogue design belongs to Donjoy.
Any copy will be investigated for legal responsibility and economic compensation.
Donjoy's technology design is under patent protection.
Any copy will be investigated for legal responsibility and economic compensation.