



PRODUCTS AND COMPANY INTRODUCTION



Wuxi Jinqiu Machinery Co.,Ltd

Application:


**Hydraulic press brake machine:
For bending sheet metal**

Material worked: Steel, Aluminum, and Copper

Range:

Table length: 1300 to 9000 mm (Single machine)

Working force: 20 to 1600 tons




**Hydraulic shearing machine:
For cutting sheet metal**

Material worked: Steel, Aluminum, and Copper

Range:

Table size: 2000 to 8000 mm

Working range of the cutting thickness: up to 30mm





Hydraulic Press brake

Series WC67Y-- Standard hydraulic press brake, with forcing torsion bar.

Series WC67K—NC hydraulic press brake, with torsion bar, with E20 Chinese NC control system or with Holland Delem NC system.(Y,X axis).

Series WE67K—CNC electro-hydraulic synchro press brake, without torsion bar, with Holland Delem CNC control system(Y1,Y2,X,R axis).

Series 2-WE67K—Multi-machine tandem CNC hydraulic press brake.

Simple Technical data:

Working force (tons)	Length of table (mm)	distance between housings (mm)	Throat depth (mm)	BeamStroke/ Strocks (mm)/(min ⁻¹)	Open height(mm)	Main motor (kw)	weight(kg)
20	1300~1500	1100	200	90/11	300	3	1780
40	2000~2500	1650~2050	200	100/10	300	4	2800~3500
63	2000~4000	1650~3200	250	100/10	320~335	5.5	3900~6500
80	2500~4000	2050~3200	250	100/10	350	7.5	6000~7500
100	2500~6000	2050~4800	320	100/8	365	7.5	6400~16600
125	3200~4000	2650~3100	320	150/8	415	7.5	8500~12000
160	3200~6000	2640~4800	320	200/6	480	11	10800~20400
200	3200~5000	2650~4000	320	200/3	510	11	16000~21000
250	3200~5000	2620~4000	400	250/3	560	15	17000~26600
300	~5000	4000	400	250/3	560	22	27000
400	4000~6000	~4800	400	320/2.5	630	30	~43000
500	4000~7000	3100~4890	400	320/2.5	630	37	~68000
600	~9000		400	320/2.5	630	45	~100000
800	~7000		500	350/2	710	55	~110000
1000	~7000		500	400/1.5	800	55	~135000
1200	~7000	5600	500	450/1.5	800	75	~158000

- If you want to know more details, please contact us.

Attachment: Some press brake photos





Hydraulic Shear

Series QC12Y -- Standard hydraulic swing beam shear.

Series QC11Y -- Standard hydraulic guillotine type shear

Series QC12K – NC hydraulic swing beam shear (with E20 Chinese NC control system or with Holland Delem NC system)

Series QC11K -- NC hydraulic guillotine type shear (with E20 Chinese NC control system or with Holland Delem CNC system)

Series QC12K-6X2500/3000 – NC Front feed hydraulic swing beam shear (with E20 Chinese NC control system or with Holland Delem NC system)

Simple Technical data:

Thickness (mm)	Width (mm)	Shear angle (°)	Strocks (min ⁻¹)	Main motor (kw)	weight(kg)
4	2000~4000	1.5	10~18	7.5	4000~7900
6	2500~6000	1.5	7~18	7.5~15	5200~23000
8	2500~6000	0.5~2	6~30	11~22	5300~25000
10	2500~4000	1°48'~2	8~12	15~18.5	7400~14500
12	2500~6000	1°30'~2	6~25	15~30	7400~29000
13	8000	0.5~2	6~20	37	48000
16	2500~6000	0.5~2.5	6~20	18.5~37	15~36000
20	2500~4000	2.5	5~6	37	14000~25000
25	2500~3200	3	4~5	37	16500~26000
30	2500	0.5~3.5	4~16	55	27000

● If you want to know more details, please contact us.



Introduction of Wuxi Jinqiu Machinery Co., Ltd.



Wuxi Jinqiu Machinery Co.,Ltd was established in 1969. It is one of China's first metal-forming machinery manufacturers, specialized in making sheet shearing and bending machines, which has developed and produced over 210 models of metal-forming equipment, and devotes itself to scientific research so as to hold first rank in same industry. Series "JINQIU" brand hydraulic press brake & hydraulic swing beam shear are designed and manufactured in conformity with DIN Standard. "Honoring Contract and keeping Promise" of Jiangsu Province for several years. At same time, It is the "High and New Technology Company" of Jiangsu Province. We obtained the certificates of ministerial and provincial superior quality products and certificates of new product of our country and the title of trustworthy quality products awarded by Foundry and Metal forming Research Institute of our country for many times. The products have met great favour both domestic and overseas (e.g.Southeast Asia, and America, Middle-east etc.)

We have the ISO9001 quality system certificate.

Since 1994, We have started to use the Delem CNC control system and Bosch pump and valve.

Company area: Our company has two parts, the new factory and the old one. It is about 43,000m² area in the new one, and the old factory has 22,000 m².

Total employees: 396 among them:

R&D: 34 Administration: 82 Production: 233 QA/QC: 20

Others: 27

Capacity: 800 units press brake and shears per year



Production Value of press brake and shear: 80,000,000~100,000,000 RMB

Products range:

Press brake: 20 ~1600 T, length 1300~7000mm

Shears: 4~30mm, length 2000~8000mm

Some of our Export market:

CYPRUS, CZECH REP. (Include SLOVAKIA)

S. A. (include Botswana, Zimbabwe, Namibia, Mozambique, Swaziland and Lesotho

AUSTRALIA,BANGLADESH

CANADA,ECUADOR,SINGAPORE,

SPAIN, U. S. A. , ENGLAND, DENMARK, FRANCE, COLOMBIA, CHILE, RUSSIA,

VIETNAM Ect.

SAUDI JORDANIAN FACTORY FOR TECHNICAL INDUSTRIAL

MANSSOUR ABOUKHAMSEEN & PARTNERS ,KUWAIT

AL FULAIJ & CO., DUBAI U. A. E. KEPLIC KUWAIT

NATIONAL ELECTRICAL SYSTEM INDUSTRIES FZC U.A.E.

ALFOUZ KUWAIT

MIDCO EQUIPMENT LLC DUBAI - UNITED ARAB EMIRATES

BA'AMER TRADING & CONT. EST. SAUDI ARABIA.

LOOTAH INDUSTRIES U. A. E.

KUWAIT FINANCE HOUSE



